No.



8200144

HHE UNITHED SHAMES OF AMIERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Talkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic ged of the variety in a public repository as provided by LAW, the right to exdee others from selling the variety, or offering it for sale, or reproducing it, apporting it, or exporting it, or using it in producing a hybrid or different therefrom, to the extent provided by the Plant Variety Protection Act 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

11282'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 31st day of August in the year of our Lord one thousand nine hundred and eighty-three.

Office

Secretary of Agriculture



8200144

TO ALL TO WHOM THESE PRESENTS SHALL COME: Dioneer Hi-Bred International, Inc.

Telhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC seed of the variety in a public repository as provided by ${
m LAW}$, the right to ex-UDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT

THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

112821

In Testimony Mincroof, I have hereunto set my hand and caused the seal of the Elant Variety Protection Office to be affixed at the City of Washington
this 31st day of August in
the year of our Lord one thousand nine

hundred and eighty-three.

UNITED STATES DEPARTMENT OF AGRICULTURE FORM APPROVED AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION OMB NO. 40-R3822 No certificate for plant variety protection may APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE be issued unless a completed application form has been received (5 U.S.C. 553). INSTRUCTIONS: See Reverse. TEMPORARY DESIGNATION OF 1b. VARIETY NAME FOR OFFICIAL USE ONLY VARIETY PV NUMBER 8200144 1282 1282 KIND NAME 3. GENUS AND SPECIES NAME FILING DATE λ.M. 7/28/82 2:00 P.M. Sovbean Glycine max FEE RECEIVED DATE FAMILY NAME (BOTANICAL) 5. DATE OF DETERMINATION 500.00 7/28/82 October, 1974 250.00 /28/83 Leguminosae January, 1979 NAME OF APPLICANT(S) 7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP TELEPHONE AREA CODE AND NUMBER Pioneer Hi-Bred 1206 Mulberry Street International, Inc. Des Moines, Iowa (319)277-1733 IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF 10. IF INCORPORATED, GIVE STATE AND DATE OF INCOR-ORGANIZATION: (Corporation, partnership, association, etc.) DATE OF INCORPORATION PORATION <u>Corporation</u> 1926 NAME AND MAILING ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE 12. ALL PAPERS: Clark W. Jennings Dale L. Porter Box 854 1206 Mulberry Street Cedar Falls, Iowa 50613 Des Moines, Iowa 50308 CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED: 13A. Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.) 13B. Exhibit B, Novelty Statement. 13C. Exhibit C, Objective Description of the Variety (Request form from Plant Variety Protection Office.) 12/5 6/21/82 13D. Exhibit D, Additional Description of the Variety. 14a. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a). (If "Yes," answer 14B and 14C below.) YES ОИ 💢 DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE IF "YES," TO 14B, HOW MANY GENERATIONS OF PRODUC-LIMITED AS TO NUMBER OF GENERATIONS? TION BEYOND BREEDER SEED? YES **FOUNDATION** REGISTERED CERTIFIED DID THE APPLICANT(S) FILE FOR PROTECTION OF THIS VARIETY IN OTHER COUNTRIES? NO (If "Yes," give name of countries and dates.) 15b. HAVE RIGHTS BEEN GRANTED THIS VARIETY IN OTHER COUNTRIES? TYES NO (If "Yes," give name of countries and dates,) DOES THE APPLICANT(S) AGREE TO THE PUBLICATION OF HIS/HER (THEIR) NAME(S) AND ADDRESS IN THE OFFICIAL 16. X YES NO

The applicant(s) declare(s) that a viable sample of basic seed of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

| June 17, 1982 | , | ÷ | - (1 | lack | Xt | emu | -ex |
|---------------|---|------|------|------|----|---------------|-----|
| (DATE) | | | | | | TURE OF APPLI | |

(DATE)


(SIGNATURE OF APPLICANT)

INSTRUCTIONS

GENERAL: Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filing fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Give the date the applicant determined that he had a new variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.



- Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.

Amendment: 1282 Soybean (July, 1983)

Exhibit A. Variety 1282 evolved from a cross of Wells X [(Disoy x Magna) X Provar]. It is an F3-derived variety which was advanced to the F3 generation by modified single-seed descent. The F4 progeny row of 1282 was grown in Iowa during the summer of 1974. Subsequently, 1282 has undergone seven years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of genetic variants.

Seed hila of variety 1282 are very dark buff in color, and under certain environmental conditions may appear imperfect black in color. When seeds of this type are planted, they produce plants having seeds with buff colored hila.

0.4 acre of 1282 (pedigree seed) was grown in 1979. 100 acres of parent seedstock were grown in 1981.

Exhibit B. Variety 1282 is most similar to the variety Hodgson 78. However, Hodgson 78 exhibits a <u>high</u> seed coat protein peroxidase activity, whereas 1282 has a <u>low</u> protein peroxidase activity.



EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

| NAME OF APPLICANT(S) TEMPORARY DESIGNA | ATION VARIETY NAME |
|---|---|
| Pioneer Hi-Bred International, Inc. | 1282 |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) | FOR OFFICIAL USE ONLY |
| 1206 Mulberry Street | PVPO NUMBER |
| Des Moines, Iowa 50308 | 8200144 |
| Choose the appropriate response which characterizes the variety in the features desin your answer is fewer than the number of boxes provided, place a zero in the first | cribed below. When the number of significant digits box when number is 9 or less (e.g., 0 9). |
| 1. SEED SHAPE: | |
| | |
| 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Fl | attened (L/W ratio > 1.2; L/T ratio = < 1.2) attened (L/T ratio > 1.2; T/W > 1.2) |
| 2. SEED COAT COLOR: (Mature Seed) | |
| 1 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 | = Other (Specify) |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) | |
| 1 = Duil ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17') | |
| 4. SEED SIZE: (Mature Seed) | |
| 2 0 Grams per 100 seeds | |
| 5. HILUM COLOR: (Mature Seed) | |
| 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Impe | erfect Black 6 = Black 7 = Other (Specify) |
| 6. COTYLEDON COLOR: (Mature Seed) | |
| 1 = Yellow 2 = Green | |
| 7. SEED PROTEIN PEROXIDASE ACTIVITY: | |
| 1 = Low 2 = High | |
| 8. SEED PROTEIN ELECTROPHORETIC BAND: | |
| 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b) | |
| 9. HYPOCOTYL COLOR: | |
| 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below coty 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') | |
| 10. LEAFLET SHAPE: | |
| 2 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Spec | cify) |

| 11. LEAFLET SIZE: | |
|---|-----------------|
| 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 1') 3 = Large ('Crawford'; 'Tracy') | ('7 7) |
| 12. LEAF COLOR: | |
| 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'E 3 = Dark Green ('Gnome'; 'Tracy') | 3raxton') |
| 13. FLOWER COLOR: | |
| 2 1 = White 2 = Purple 3 = White with purple throat | |
| 14. POD COLOR: | |
| 2 1 = Tan 2 = Brown 3 = Black | - |
| 15. PLANT PUBESCENCE COLOR: | |
| 1 = Gray 2 = Brown (Tawny) | |
| 16. PLANT TYPES: | |
| 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxto') 3 = Bushy ('Gnome'; 'Govan') | on') |
| 17. PLANT HABIT: | |
| 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') | |
| 18. MATURITY GROUP: | |
| 0 4 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X | 7 = IV 8 = V |
| 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) | |
| BACTERIAL DISEASES: | |
| 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) | |
| Bacterial Blight (Pseudomonas glycinea) | |
| Wildfire (Pseudomonas tabaci) | |
| FUNGAL DISEASES: | |
| Brown Spot (Septoria glycines) | |
| Frogeye Leaf Spot (Cercospora sojina) | |
| 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race | Other (Specify) |
| Target Spot (Corynespora cassiicola) | |
| 0 Downy Mildew (Peronospora trifoliorum var. manshurica) | |
| O Powdery Mildew (Microsphaera diffusa) | |
| 0 Brown Stem Rot (Cephalosporium gregatum) | |
| O Stem Canker (Diaporthe phaseolorum var. caulivora) | FF 2 |

| 19. DISEASE REACT | ION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = | Resistant) (Continued) | |
|--------------------|--|------------------------|-------------------|
| FUNGAL DISE | ASES: (Continued) | | , |
| 0 Pod and S | Stem Blight (Diaporthe phaseolorum var; sojae) | | |
| 0 Purple Se | ed Stain <i>(Cercospora kikuchii)</i> | • | , |
| 0 Rhizoctor | nia Root Rot (Rhizoctonia solani) | · | |
| Phytopht | hora Rot (Phytophthora megasperma var. sojae) | | |
| 2 Race 1 | 2 Race 2 0 Race 3 0 | Race 4 0 Race 5 | 0 Race 6 0 Race 7 |
| 0 Race 8 | 0 Race 9 0 Other (Specify) | | |
| VIRAL DISEAS | ES: | | |
| 0 Bud Bligh | t (Tobacco Ringspot Virus) | | |
| 0 Yellow M | osaic (Bean Yellow Mosaic Virus) | | |
| O Cowpea N | Mosaic (Cowpea Chlorotic Virus) | | |
| 0 Pod Motti | e (Bean Pod Mottle Virus) | | |
| O Seed Mot | tle (Soybean Mosaic Virus) | | |
| NEMATODE DI | SEASES: | | • |
| Soybean (| Cyst Nematode <i>(Heterodera glycines)</i> | | |
| 0 Race 1 | 0 Race 2 0 Race 3 0 | Race 4 0 Other (| Specify) |
| 0 Lance Nei | matode (Hoplolaimus Colombus) | | |
| 0 Southern | Root Knot Nematode (Meloidogyne incognita) | | |
| <u></u> | Root Knot Nematode (Meloidogyne Hapla) | | |
| | oot Knot Nematode <i>(Meloidogyne arenaria)</i> | | |
| المنتسا | Nematode (Rotylenchulus reniformis) | | |
| OTUER F | DISEASE NOT ON FORM (Specify): | | |
| [0] OTHER | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |
| 20. PHYSIOLOGICAL | RESPONSES: (Enter 0 = Not Tested; 1 = Susce) | otible; 2 = Resistant) | |
| 1 Iron Chlor | rosis on Calcareous Soil | | |
| O Other (Spe | ecify) | | |
| 21. INSECT REACTIO | N: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R | lesistant) | |
| 0 Mexican B | lean Beetle (Epilachna varivestis) | | |
| O Potato Lea | af Hopper (Empoasca fabae) | | |
| O Other (Spe | ecify) | | ****** |
| 22. INDICATE WHICH | VARIETY MOST CLOSELY RESEMBLES THA | AT SUBMITTED. | |
| CHARACTER | NAME OF VARIETY | CHARACTER | NAME OF VARIETY |
| Plant Shape | Hodgson 78 | Seed Coat Luster | Hodgson 78 |
| Leaf Shape | Hodgson 78 | Seed Size | Hodgson 78 |
| Leaf Color | Hodgson 78 | Seed Shape | Hodgson 78 |
| Leaf Size | Hodgson 78 | Seedling Pigmentation | Hodgson 78 |
| | | 1 | - |

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY NO. OF DAYS MATURIT Submitted 1282 118 | | LODGING PLA SCORE HEIG | CM PLANT HEIGHT | LEAFLET SIZE | | SEED CONTENT | | SEED SIZE G/100 | NO. SEEDS/ |
|---|-----|---------------------------|-----------------------|--------------|-----------|--------------|-------|--------------------|-----------------|
| | | | | CM Width | CM Length | % Protein | % Oil | SEEDS | POD |
| | 118 | | 100 | 0 | | | | | |
| Name of Similar Variety HODGSON 78 | 117 | 2.0 | 90 | | | | | | in and a second |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

RECEIVED
JUN 21 1982